



1 FINISH: $1,27 \mu\text{m}$ MIN OF NICKEL ALL OVER. FROM $1 \mu\text{m}$ TO $3 \mu\text{m}$ OF TIN ON LOCALIZED CONTACT PLATING AREA AND $0,8 \mu\text{m}$ MIN ON REMAINDER AREAS.
 FINITURA: $1,27 \mu\text{m}$ MIN DI NICKEL COME SOTTOSTRATO. DA $1 \mu\text{m}$ A $3 \mu\text{m}$ DI STAGNO SULL'AREA DI CONTATTO. $0,8 \mu\text{m}$ MIN DI STAGNO SULLE AREE RIMANENTI.

2 FOR MINI APPLICATOR.
 PER MINI APPLICATORE.

3 FOR APPLICATIONS IN CONNECTORS WITH MORE THAN 6 POSITIONS, THE CONTACT MUST BE LUBRICATED.
 PER APPLICAZIONI IN CONNETTORI CON PIU' DI 6 VIE, IL CONTATTO DEVE ESSERE LUBRIFICATO.

1	PHOS. BRONZE BRONZO FOSFOROSO	2	282618-1
FINITURA / COLORE (FINISH / COLOUR)		NUMERO (PART NUMBER)	
CUSTOMER DWG. FOR REFERENCE ONLY		DISEGNO PER CLIENTE SOLO PER RIFERIMENTO	
THIS DRAWING IS UNPUBLISHED		RELEASE FOR PUBLICATION 19	
© COPYRIGHT 19 BY AMP INCORPORATED, HARRISBURG, PA ALL INTERNATIONAL RIGHT RESERVED AMP PRODUCTS MAY BE COVERED BY U.S. AND FOREIGN PATENT AND/OR PATENT PENDING			
TOLLERANZE SE NON DIVERSAMENTE SPECIFICATO (TOLERANCES, UNLESS OTHERWISE SPECIFIED)		DIAM. ISOLANTE (INS. DIA RANGED 040-056 inch 1,0/1,4 mm)	RANGO FILO (WIRE RANGES) 22/26 AWG 0,32/0,13 mm ²
± .005		SCALA (SCALE) 6:1	
ANGOLI (ANGLES) --		AMP ITALIA S.p.A. Corso Feltrina, 15 COLLEGNO (TORINO)	
DESCRIZIONE (DESCRIPTION) FFC PIN CONTACT			
REV	REVISIONI (REVISION RECORD)	LOC	FOGLIO (SHEET)
0	FIRST ISSUE	SIZE	1 OF 1
1	DIS	NUMERO (DWG NO)	REV
2	DATA (DATE)	IA3C-282618	8

C	ADDED NOTE ET00-0061-95	05 FEB 1996	ANGOLI (ANGLES)
B	REDRAWN BY CAD & REVISED ET00-0004-95	03 FEB 1995	DIS (DR) Marco Scamporrin 20 JUL 94
A	RELEASED FOR PRODUCTION ET00-0246-94	14 DEC 1994	CONT (CHR) Riccardo Cantore 20 JUL 94
0	FIRST ISSUE	S.M.	APP (APP.)

DISTRIBUTIONE
(PRINT DIST.)