REVISION BO

DO NOT SCALE FROM THIS PRINT

TABLE 2							
BODY SPECIFICATION							
ROW/OPTION USE BODY							
-S, -S-NA/-NE	HTSW-50-S-LCP						
-S-RA/-S-RE	HTSW-50-SRA-LCP						
-D, -D-NA/NE	HTSW-50-D-LCP						
-D-RA	HTSW-50-DRA-LCP						
-T, -T-NA/-NE	HTSW-50-T-LCP						
-T-RA, -Q-RA	HTSW-50-TRA-LCP						
Q	HTSW-50-T-LCP						

TERMINAL SPACE SPEC--1= .100 [2.54] (FILL EVERY POSITION) -2= .200 [5.08] (FILL EVERY OTHER POSITION STARTING WITH THE 1st AND ENDING WITH THE LAST POSITION IN BODY) NUMBER OF POSITIONS -1: -01 THRU -50 "A"= NUMBER OF POS x .100[2.54] -2: -02 THRU -25 "A"= (NUMBER OF POS x .200[5.08])-.100[2.54]

> LEAD STYLE -SEE TABLE 1, SHT 6

PLATING SPECIFICATIONS -

-G: 10μ" GOLD IN CONTACT AREA, 3μ" GOLD ON TAIL

-T: MATTE TIN CONTACT AND TAIL

-S: 30µ" SELECTIVE GOLD IN CONTACT AREA, MATTE TIN ON TAIL

-H: 30µ" HEAVY GOLD IN CONTACT AREA, 3µ" GOLD ON TAIL

-L: 10µ" LIGHT SELECTIVE GOLD IN CONTACT AREA, MATTE TIN ON TAIL

-F: 3µ" FLASH SELECTIVE GOLD IN CONTACT AREA, MATTE TIN ON TAIL

-E: 50μ" EXTRA HEAVY GOLD IN CONTACT AREA, 3μ" GOLD ON TAIL

(AVAILABLE ON LEAD STYLES -07, -08, -09 STRAIGHT AND -08-D-RA) -TL: TIN/LEAD (90/10 $\pm 5\%$) CONTACT AND TAIL, (AVAILABLE ONLY ON LEAD STYLES -07, -08 & -09)

-TM: MATTE TIN CONTACT AND TAIL

-SM: 30µ" SELECTIVE GOLD IN CONTACT AREA, MATTE TIN ON TAIL

-LM: 10µ" LIGHT SELECTIVE GOLD IN CONTACT AREA, MATTE TIN ON TAIL -FM: 3µ" FLASH SELECTIVE GOLD IN CONTACT AREA, MATTE TIN ON TAIL

-STL: 30µ" SELECTIVE GOLD IN CONTACT AREA, TIN/LEAD (90/10 ±5%) TAIL

-LTL: 10µ" LIGHT SELECTIVE GOLD IN CONTACT AREA, TIN/LEAD (90/10 +/-5%) TAIL, (AVAILABLE ONLY ON LEAD STYLE -15)

-SS: 30µ" STRIPE SELECTIVE GOLD IN CONTACT AREA, MATTE TIN ONTAIL, (SEE NOTE 9)

OPTION 3 *-MW: METAL WASHER (STRAIGHT TAIL OPTION ONLY) ÎAVAILABLE ON 05, 06, 07, 08, 16, 17, 18,

22, 23,24, 25, 41 & 42 LEAD STYLES ONLY) (N/A WITH -LC OPTION. 20 POS MIN, 30 POS MAX. SEE FIG 6, SHT 5)

OPTION 2 -POLARIZING SPECIFICATION XXX INDICATES POS TO BE OMITTED

OPTION 1

HTSW-XXX-XX-XXX-X-XX-XX

-BLANK: STRAIGHT (SEE FIG. 1, SHT. 2) -RA: RIGHT ANGLE (SEE TABLE 3 & 4, FIG. 5, SHT. 4)

-RE: EXTENDED RIGHT ANGLE (SEE TABLE 3 & 4, FIG 5, SHT 4) (SINGLE ROW ONLY)

-NA: RA OPTION WITH STRAIGHT OPTION BODY (SEE TABLE 3 & 4, FIG 5, SHT 4)
-NE: RE OPTION WITH STRAIGHT OPTION BODY (SEE TABLE 3 & 4, FIG 5, SHT 4)

-LC: LOCKING CLIP (4 POS MINIMUM; ONLY AVAILABLE ON:

LEAD STYLES -08 THRU -13 & -22, WITH ROW OPTIONS -S & -D; N/A WITH -MW, -RA OR -RE OPTIONS; SEE FIG 2, SHT 2) -LA: -RA OPTION WITH -LL OPTION (SEE SHT 3)

-LL: LOCKING LEAD (SEE FIG 4, SHT'3) (N/A WITH -RE OR -NE OPTIONS)

N/A IN SINGLE ROW, 1 OR 2 POSITIONS)

ROW SPECIFICATION (SEE TABLE 2)

-S: SINGLE

-D: DOUBLE

-T: TRIPLE

-Q: TRIPLE ROW, FILL OUTER ROWS ONLY

* - MW OPTION, DO NOT DESIGN IN. SAMTEC WILL ONLY SUPPORT EXISTING BUSINESS 2/12/02.

CRITICAL DIMENSION INSPECTION INSTRUCTION TABLE							
ASSEMBLY OPERATION	IN-PROCESS INSPECTION						
FILL	C1						
MULTI-CUT	C2						
RIGHT ANGLE	C4						
RIGHT ANGLE	C5						
RIGHT ANGLE	C6						
CRIMP	C7						
CPCs INTENTIONALLY DELETED:	C3						

NOTES:

- © REPRESENTS CRITICAL DIMENSION FOR STATISTICAL PROCESS CONTROL.
- 2. MINIMUM TERMINAL PUSHOUT FORCE: 3 LBS.
- 3. MAXIMUM HEIGHT VARIATION: .005[.127] (N/A ON -RA TAIL).
- 4. ASSEMBLE GOLD PLATE END AS SHOWN IN FIG 1.
- 5. STYLE -26: ROUND END OF PIN TO APPEAR ON BOTTOM (SEE FIG 7, SHT 6).
- 6. MINIMUM GOLD PLATED CONTACT AREA: .165[4.19] REF; PINS -18, -21 & -25: .050[1.27] REF. 7. CRIMP TWO PINS CLOSEST TO CENTER OF THE PART IF THERE IS A POLARIZED POSITION
- IN THE MIDDLE/CENTER.
- 8. MAXIMUM CUT FLASH: .010 [.25]. 9. -SS PLATING OPTION ONLY AVAILABLE ON -07, -08, -09 STRAIGHT AND -08 -RA LEAD STYLES. MATES WITH SSQ, SSW, SSM, BCS, ESQ & ESW.
- 10. MEASURE FROM THE BEND RADIUS OF THE TERMINALS.
- 11. ORIENTATE PINS TO PREVENT BANDOLIER MARKS FROM SHOWING IN THE POST AREA. (SEE TABLE 6, SHT 7).

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES. TOLERANCES ARE: **DECIMALS** .XX: ±.01 [.25] .XXX: ±.005 [.13]

.XXXX: ±.0020 [.051]

COLOR: NATURAL

PROPRIETARY NOTE THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN

DO NOT SCALE DRAWING INSULATOR: LCP, UL-94-V-0

PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail info@SAMTEC.com


.025 SQ POST HI-TEMP TERMINAL STRIP ASSEMBLY


HTSW-XXX-XX-XXX-X-XX-XX

:\DWG\MISC\MKTG\HTSW-XXX-XX-XXX-X-XX-XX-XX-MKT.SLDDRW


BY: PURVIS 02/17/87

SHEET 1 OF 7





REVISION BO



						(DIF		HOWN, OTHE
				TABLE 4 - "	'E'			
EAD TYLE	RA SINGLE	RE SINGLE	RA DOUBLE	RA TRIPLE	NA SINGLE	NE SINGLE	NA DOUBLE	NA TRIPLE
80	.090 [2.29]	N/A	.090 [2.29]	.090 [2.29]	.109 [2.77]	N/A	.109 [2.77]	.109 [2.77]

	TABLE 4 - "E"										
LEAD STYLE	RA SINGLE	RE SINGLE	RA DOUBLE	RA TRIPLE	NA SINGLE	NE SINGLE	NA DOUBLE	NA TRIPLE			
80	.090 [2.29]	N/A	.090 [2.29]	.090 [2.29]	.109 [2.77]	N/A	.109 [2.77]	.109 [2.77]			
09	.290 [7.37]	.190 [4.83]	.290 [7.37]	.290 [7.37]	.309 [7.85]	.209 [5.31]	.309 [7.85]	.309 [7.85]			
10	.390 [9.91]	.290 [7.37]	.390 [9.91]	.390 [9.91]	.409 [10.39]	.309 [7.85]	.409 [10.39]	.409 [10.39]			
11	.490 [12.45]	.390 [9.91]	.490 [12.45]	.490 [12.45]	.509 [12.93]	.409 [10.39]	.509 [12.93]	.509 [12.93]			
12	.590 [14.99]	.490 [12.45]	.590 [14.99]	.590 [14.99]	.609 [15.47]	.509 [12.93]	.609 [15.47]	.609 [15.47]			
13	.790 [20.07]	.690 [17.53]	.790 [20.07]	N/A	.809 [20.55]	.709 [18.01]	.809 [20.55]	N/A			
16	.200 [5.08]	.100 [2.54]	.200 [5.08]	.200 [5.08]	.219 [5.56]	.119 [3.02]	.219 [5.56]	.219 [5.56]			
21	.990 [25.15]	.890 [22.61]	N/A	N/A	1.009 [25.63]	.909 [23.09]	N/A	N/A			
22	.190 [4.83]	.090 [2.29]	.190 [4.83]	.190 [4.83]	.209 [5.31]	.109 [2.77]	.209 [5.31]	.209 [5.31]			
25	.100 [2.54]	N/A	.100 [2.54]	.100 [2.54]	.119 [3.02]	N/A	.119 [3.02]	.119 [3.02]			
27	.890 [22.61]	.790 [20.07]	N/A	N/A	.909 [23.09]	.809 [20.55]	N/A	N/A			
28	.690 [17.53]	.590 [14.99]	.690 [17.53]	N/A	.709 [18.01]	.609 [15.47]	.709 [18.01]	N/A			
29	.800 [20.32]	N/A	N/A	N/A	.819 [20.80]	N/A	N/A	N/A			
30	.600 [15.24]	N/A	.600 [15.24]	N/A	.619 [15.72]	N/A	.619 [15.72]	N/A			

PROPRIETARY NOTE
THIS DOCUMENT CONTAINS INFORMATION
CONFIDENTIAL AND PROPRIETARY TO
SAMTEC, INC. AND SHALL NOT BE REPRODUCI
OR TRANSFERRED TO OTHER DOCUMENTS OR
DISCLOSED TO OTHERS OR USED FOR ANY
PURPOSE OTHER THAN THAT WHICH IT WAS

OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 4:1

TAB	LE 3
-XX	"D"
-RA / -NA	.06 [1.5]
-RE / -NE	.16 [4.1]

samtec

520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail info@SAMTEC.com code 55322


DESCRIPTION


.025 SQ POST HI-TEMP TERMINAL STRIP ASSEMBLY

DWG. NO.

HTSW-XXX-XX-XXX-XX-XX-XX BY: PURVIS 02/17/87 SHEET 4 OF 7


F:\DWG\MISC\MKTG\HTSW-XXX-XX-XXX-XX-XX-XX-MKT.SLDDRW








-MW OPTION TUBE TABLE								
STYLE	ROW	TUBE	PLUG					
-XX	-S	PT-1-24-02-04	TP-24					
-08 -16 -22 -25	-D	PT-1-24-03-29	TP-07					
-05 -17 -18 -23 -24 -41	-D	PT-1-24-08-03	TP-03					
-06	-D	PT-1-24-01-63	TP-24-02					
-07	-D	PT-1-24-01-22	TP-03					
-XX	-T/-Q	PT-1-24-07-51	TP-07					



PT-1-24-08-03





PT-1-24-01-63




PT-1-24-02-04

F:\DWG\MISC\MKTG\HTSW-XXX-XX-XXX-XX-XX-XX-MKT.SLDDRW





PT-1-24-07-51



PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.



SHEET SCALE: 2.5:1



520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail info@SAMTEC.com code 55322

.025 SQ POST HI-TEMP TERMINAL STRIP ASSEMBLY

HTSW-XXX-XX-XXX-X-XX-XX

02/17/87 BY: PURVIS

SHEET 5 OF 7

REVISION BO

TABLE 1										
TERMINAL SPECIFICATIONS										
TERMINAL SPEC	FIN #1	"L"	FIN #2 (2)	PIN #3	"C"					
-05 (3)	T-1S6-21-XXX-2	.335 [8.51]	N/A	N/A	.105 [2.67]	(5)				
-06 (3)	T-1S6-18-XXX-2	.300 [7.62]	N/A	N/A	.105 [2.67]	(5)				
-07 (3)	T-1S6-07-XXX-2	.430 [10.92]	N/A	N/A	.230 [5.84]	(5)				
-08 (4)	T-1S6-08-XXX-2	.530 [13.46]	T-1S6-09-XXX-2	T-1S6-11-XXX-2	.230 [5.84]	(5) (6) (7)				
-09	T-1S6-09-XXX-2	.730 [18.54]	T-1S6-11-XXX-2	T-1S6-20-XXX-2	.230 [5.84]	(6)				
-10	T-1S6-10-XXX-2	.830 [21.08]	T-1S6-12-XXX-2	T-1S6-13-XXX-2	.230 [5.84]					
-11	T-1S6-11-XXX-2	.930 [23.62]	T-1S6-20-XXX-2	T-1S6-19-XXX-2	.230 [5.84]					
-12	T-1S6-12-XXX-2	1.030 [26.16]	T-1S6-13-XXX-2	T-1S6-14-XXX-2	.230 [5.84]					
-13	T-1S6-13-XXX-2	1.230 [31.24]	T-1S6-14-XXX-2	N/A	.230 [5.84]					
-14 (3)	T-1S6-08-XXX-2	.530 [13.46]	N/A	N/A	.320 [8.13]	(5)				
-15 (3)	T-1S6-09-XXX-2	.730 [18.54]	N/A	N/A	.520 [13.21]	(5)				
-16	T-1S6-09-XXX-2	.730 [18.54]	T-1S6-11-XXX-2	T-1S6-20-XXX-2	.320 [8.13]	(5) (6)				
-17 (3)	T-1S6-10-XXX-2	.830 [21.08]	N/A	N/A	.620 [15.75]	(5)				
-18 (3)	T-1S6-11-XXX-2	.930 [23.62]	N/A	N/A	.720 [18.29]	(5)				
-19 (3)	T-1S6-12-XXX-2	1.030 [26.16]	N/A	N/A	.820 [20.83]	(5)				
-20 (3)	T-1S6-13-XXX-2	1.230 [31.24]	N/A	N/A	1.020 [25.91]	(5)				
-21	T-1S6-14-XXX-2	1.430 [36.32]	N/A	N/A	1.220 [30.99]	(5)				
-21 (1)	T-1S6-14-XXX-2	1.430 [36.32]	N/A	N/A	.230 [5.84]					
-22	T-1S6-15-XXX-2	.630 [16.00]	T-1S6-10-XXX-2	T-1S6-12-XXX-2	.230 [5.84]	(5) (6)				
-23 (3)	T-1S6-16-XXX-2	.445 [11.30]	N/A	N/A	.230 [5.84]	(5)				
-24 (3)	T-1S6-17-XXX-2	.480 [12.19]	N/A	N/A	.265 [6.73]	(5)				
-25 (4)	T-1S6-15-XXX-2	.630 [16.00]	T-1S6-10-XXX-2	T-1S6-12-XXX-2	.320 [8.13]	(5) (6)				
*-26 (3)	T-1RS7-01-XXX-2	.456 [11.58]	N/A	N/A	.230 [5.84]					
-27	T-1S6-19-XXX-2	1.330 [33.78]	N/A	N/A	.230 [5.84]					
-28	T-1S6-20-XXX-2	1.130 [28.70]	T-1S6-19-XXX-2	N/A	.230 [5.84]					
-29 (4)	T-1S6-19-XXX-2	1.330 [33.78]	N/A	N/A	.320 [8.13]					
-30 (4)	T-1S6-20-XXX-2	1.130 [28.70]	T-1S6-19-XXX-2	N/A	.320 [8.13]					
-41	T-1S6-25-XXX-2	.365 [9.27]	N/A	N/A	.230 [5.84]					
-42	T-1S6-26-XXX-2	.470 [11.94]	N/A	N/A	.320 [8.13]					

(1) WITH -RA or -RE OPTION

(5) AVAILABLE IN -LL OPTION.

(2) OMIT WITH -Q ROW SPECIFICATION (6) AVAILABLE IN -LA OPTION.
(3) NOT AVAILABLE IN -RA OR -RE OPTION. (7) ON STYLE -08 -RA & -LA
(4) NOT AVAILABLE IN -RE OPTION. OPTIONS ONLY; 'C' = .230+.005/-.008 [5.84+.13/-.20]
*SQUARE END OF PIN(T-1RS7-01-XXX-2)SHOULD BE LOCATED AT "C" DIMENSION DURING FILL PROCESS. (SEE FIG 7)




FIG 7
-26 LEAD STYLE
(SAME AS FIG 1, DIFFERENT AS SHOWN)

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 3.5:1



520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail info@SAMTEC.com code 55322


DESCRIPTION:

.025 SQ POST HI-TEMP TERMINAL STRIP ASSEMBLY

HTSW-XXX-XX-XXX-XX-XX 02/17/87 BY: PURVIS SHEET 6 OF 7

TABLE 6 (-T PLATING ONLY)								
		OF BAND	MARKS			OF BAND		
LEAD STYLE	PIN #1	PIN #2	PIN #3	LEAD STYLE	PIN #1	PIN #2	PIN#3	
*-05	*0	N/A	N/A	*-17	2	N/A	N/A	
-06	1	N/A	N/A	*-18	2	N/A	N/A	
-07	1	N/A	N/A	*-19	2	N/A	N/A	
-08	0	0	0	*-20	2	N/A	N/A	
-08 RA	0	0	0	*-21	2	N/A	N/A	
-09	0	0	0	-21-RA	0	N/A	N/A	
-09 RA	0	0	0	-21-RE	0	N/A	N/A	
-09-RE	0	0	0	-22	0	0	0	
-10	0	0	0	-22-RA	0	0	0	
-10-RA	0	0	0	-22-RE	0	0	0	
-10-RE	0	0	0	-23	1	N/A	N/A	
-11	0	0	0	-24	1	N/A	N/A	
-11-RA	0	0	0	-25	1	1	1	
-11-RE	0	0	0	*-25-RA	1	0	0	
-12	0	0	0	*-26	1	N/A	N/A	
-12-RA	0	0	0	*-27	0	N/A	N/A	
-12-RE	0	0	0	*-27-RA	0	N/A	N/A	
-13	0	0	N/A	*-27-RE	0	N/A	N/A	
-13-RA	0	0	N/A	*-28	0	0	N/A	
-13-RE	0	0	N/A	*-28-RA	0	0	N/A	
-14	1	N/A	N/A	*-28-RE	0	0	N/A	
*-15	2	N/A	N/A	*-29	1	N/A	N/A	
*-16	1	1	1	*-29-RA	1	N/A	N/A	
*-16-RA	1	1	1	*-30	1	1	N/A	
*-16-RE	1	1	1	*-30-RA	1	1	N/A	
* DING TO BE ELIDDED ODDOGITE OF SELECTIVE DI ATING REFORE BEING INCEDTED								

^{*} PINS TO BE FLIPPED OPPOSITE OF SELECTIVE PLATING BEFORE BEING INSERTED



IN PROCESS 1 (SAME AS FIG. 1, DIFFERENT AS SHOWN) -T PLATING ONLY

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 3:1



520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail info@SAMTEC.com code 55322

DESCRIPTION:

.025 SQ POST HI-TEMP TERMINAL STRIP ASSEMBLY

WG NO

HTSW-XXX-XX-XXX-X-XX-XX

BY: PURVIS 02/17/87 SHEET 7 OF 7