

# APK 1


Order No.: 5022795

The illustration shows a combination of versions APK 1, APK-HP and APK -TU



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=5022795>

Hinged cover profile, permits hinged covering of terminal strips when used with cover holder APK-TU and holding profile APK-HP; snaps into the holding profile APK-HP, dimensions: 95 x 50 mm

Commercial data	
GTIN (EAN)	 4 017918 095291
sales group	B232
Pack	10 pcs.
Customs tariff	39162000
Catalog page information	Page 704 (CL-2009)

#### Product notes

WEEE/RoHS-compliant since:  
01/01/2003



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
<b>General</b>	
Length (b)	50 mm
Width (a)	95 mm
Color	transparent
Inflammability class acc. to UL 94	V2


---

Ambient temperature (operation)	-40 °C ... 115 °C
Components	free from silicone and halogen
Material	Polycarbonate PC

---

### Diagrams/Drawings

Dimensioned drawing



**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact  
Technical modifications reserved;