

A 16 -12

Order No.: 3200425

The illustration shows version A 1-6 and A 1-10

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3200425>

Ferrule, Length: 12 mm, Color: silver

Commercial data

GTIN (EAN)	4017918094072
sales group	B251
Pack	100 pcs.
Customs tariff	85369010
Weight/Piece	0.00042 KG
Catalog page information	Page 661 (CL-2009)

Product notes

WEEE/RoHS-compliant since:
01/01/2005

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General

Length (b)	12 mm
Color	silver
Material	E-CU
Sleeve length	10.5 mm
Inner dimension of the insulating collar (d)	7.5 mm

Ferrule diameter	5.8 mm
Sleeve wall thickness	0.2 mm

Certificates / Approvals



Certification

CSA, UCSA

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2010 Phoenix Contact
Technical modifications reserved;