



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
	H2	REVISED PER ECO-11-004587		11MAR11	RK	HMR	



- ASSEMBLY MAY BE BROKEN TO THE DESIRED NUMBER OF POSITIONS
  - TRUE POSITION TOLERANCE OF THE POST TIPS APPLIES WHEN THE HEADER IS HELD FLAT AGAINST THE PRINTED CIRCUIT BOARD
- 3 THE NOTED DIMENSIONS APPLY AT THE INTERSECTION OF THE POST AND HOUSING
- 4 POINT OF MEASUREMENT FOR PLATING THICKNESS
- 5 PART INDICATED IS PACKAGED IN "SINGLE TUBES"
- 6 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

6	OB	6	5	1.284	1.200	12	26	4-103186-1
				3.984	3.900	39	80	4-103186-0
6	OB			3.884	3.800	38	78	3-103186-9
6	OB			3.784	3.700	37	76	3-103186-8
6	OB			3.684	3.600	36	74	3-103186-7
6	OB			3.584	3.500	35	72	3-103186-6
6	OB			3.484	3.400	34	70	3-103186-5
6	OB			3.384	3.300	33	68	3-103186-4
6	OB			3.284	3.200	32	66	3-103186-3
				3.184	3.100	31	64	3-103186-2
6	OB			3.084	3.000	30	62	3-103186-1
6	OB			2.984	2.900	29	60	3-103186-0
6	OB			2.884	2.800	28	58	2-103186-9
6	OB			2.784	2.700	27	56	2-103186-8
6	OB			2.684	2.600	26	54	2-103186-7
6	OB			2.584	2.500	25	52	2-103186-6
6	OB			2.484	2.400	24	50	2-103186-5
				2.384	2.300	23	48	2-103186-4
6	OB			2.284	2.200	22	46	2-103186-3
6	OB			2.184	2.100	21	44	2-103186-2
6	OB			2.084	2.000	20	42	2-103186-1
				1.984	1.900	19	40	2-103186-0
6	OB			1.884	1.800	18	38	1-103186-9
6	OB			1.784	1.700	17	36	1-103186-8
				1.684	1.600	16	34	1-103186-7
				1.584	1.500	15	32	1-103186-6
				1.484	1.400	14	30	1-103186-5
6	OB			1.384	1.300	13	28	1-103186-4
				1.284	1.200	12	26	1-103186-3
				1.184	1.100	11	24	1-103186-2
6	OB			1.084	1.000	10	22	1-103186-1
				.984	.900	9	20	1-103186-0
				.884	.800	8	18	103186-9
				.784	.700	7	16	103186-8
				.684	.600	6	14	103186-7
				.584	.500	5	12	103186-6
				.484	.400	4	10	103186-5
				.384	.300	3	8	103186-4
				.284	.200	2	6	103186-3
				.184	.100	1	4	103186-2
				.084	—	—	2	103186-1
REMARKS	C	B	A	NO OF POSN	PART NUMBER			



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN H MOLL 13OCT87  
 CHK T. CLARK 20OCT87  
 APVD T. CLARK 20OCT87

DIMENSIONS: INCHES TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±	-
1 PLC	±	-
2 PLC	±	-
3 PLC	±	.005
4 PLC	±	-
ANGLES	±	-

MATERIAL: HOUSING: FLAME RETARDANT THERMOPLASTIC; COLOR-BLACK  
 FINISH: POST: .00015 GOLD ON CONTACT .00100-.00200 MATTE TIN-LEAD ON SOLDER TAIL ALL OVER .00050 NICKEL

TE Connectivity  
 NAME: HEADER ASSY, MOD II, BREAKAWAY, DOUBLE ROW, .100X.100 C, VERTICAL, WITH .025 SQ POSTS  
 SIZE: A2 CAGE CODE: 00779 C=103186 DRAWING NO: 103186  
 WEIGHT: - SCALE: 4:1 SHEET: 1 OF 1 REV: H2